

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	(wen adj tai near3 lin).xa,xp. and fingerprint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 16:19
S3	1	S1 and reproduc\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 16:22
S4	7339	(@AD< "20031217" or @RLAD< "20031217") and (content or document) near15 (distribut\$3 or redistribut\$3) same (network or Internet) and (bill\$3 or pay or payment or charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 16:50
S5	3207	S4 and ("709"/\$3 or "705"/\$3). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 16:52
S7	0	S5 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (client or terminal or customer or subscriber) near10 (distribut \$3 or redistribut\$3) near10 (other or another or second or next or plurality) adj5 (client or terminal or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:00
S8	48	S5 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (client or terminal or customer or subscriber) near10 (distribut \$3 or redistribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:01
S9	16	S8 and (distribut\$3 or redistribut\$3) near10 (other or another or second or next or plurality) adj5 (client or terminal or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:02
S10	4	S8 and retail\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:14

S11	24	S5 and (user or client or terminal or customer or subscriber) near10 (distribut\$3 or redistribut\$3) near10 (hierarchical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:22
S12	67	S5 and (user or client or terminal or customer or subscriber) near10 (distribut\$3 or redistribut\$3) near10 (hierarchical\$2 or hierarchy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:22
S13	1	S12 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (user or client or terminal or customer or subscriber) near10 (distribut\$3 or redistribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:23
S14	0	S8 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 17:28
S15	7339	(@AD<"20031217" or @RLAD<"20031217") and (content or document) near15 (distribut\$3 or redistribut\$3 or re-distribut\$3) same (network or Internet) and (bill\$3 or pay or payment or charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:13
S16	128	S5 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (client or terminal or customer or subscriber or retailer) near10 (transfer\$4 or stor\$3 or prestor\$3 or distribut\$3 or redistribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:14
S17	31	S16 and (distribut\$3 or redistribut\$3) near10 (other or another or second or next or plurality) adj5 (client or terminal or customer or subscriber or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:15
S19	55	S16 and (transfer\$4 or distribut\$3 or redistribut\$3) near10 (other or another or request\$3) adj5 (client or terminal or customer or subscriber or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:17
S20	0	S16 and (user or client or terminal or customer or subscriber) near10 (transfer\$3 or distribut\$3 or redistribut\$3) near10 (hierarchical\$2 or hierarchy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/15 21:20

S21	7339	@AD< "20031217" or @RLAD< "20031217" and (content or document) near15 (distribut\$3 or redistribut\$3) same (network or Internet) and (bill\$3 or pay or payment or charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S22	3207	S21 and ("709"/\$3 or "705"/ \$3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S23	48	S22 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (client or terminal or customer or subscriber) near10 (distribut\$3 or redistribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S24	128	S22 and server with (caus\$3 or signal\$3 or authoriz\$3) near10 (client or terminal or customer or subscriber or retailer) near10 (transfer\$4 or stor\$3 or prestor\$3 or distribut \$3 or redistribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S25	55	S24 and (transfer\$4 or distribut \$3 or redistribut\$3) near10 (other or another or request \$3) adj5 (client or terminal or customer or subscriber or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S26	73	S25 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:33
S36	59	S26 and (terminal or client or user or customer) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver \$3 or distribut\$3 or redistribut \$3 or transfer\$4) adj10 (terminal or client or user or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:45
S38	11	S36 and (terminal or client or user or customer) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver \$3 or distribut\$3 or redistribut \$3 or transfer\$4) adj10 (other or another or different or second or plurality) adj3 (terminal or client or user or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 16:52

S39	11	S36 and (terminal or client or user or customer or subscriber) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver\$3 or distribut\$3 or redistribut\$3 or transfer\$4) adj10 (other or another or different or second or plurality) adj3 (terminal or client or user or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:12
S40	13	S36 and (terminal or client or user or customer or subscriber or distributor or retailer or retailer) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver\$3 or distribut\$3 or redistribut\$3 or transfer\$4) adj10 (other or another or different or second or plurality) adj3 (terminal or client or user or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:17
S41	2	S40 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:21
S42	166	S22 and (terminal or client or user or customer or subscriber or distributor or retailer or retailer) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver\$3 or distribut\$3 or redistribut\$3 or transfer\$4) adj10 (other or another or different or second or plurality) adj3 (terminal or client or user or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:26
S43	3207	S21 and ("709"/\$3 or "705"/\$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:27
S44	17882	((@AD<"20031217" or @RLAD<"20031217") and (content or document) near15 (distribut\$3 or redistribut\$3 or deliver\$3 or transfer\$4 or transmit\$4) same (network or internet) and (bill\$3 or pay or payment or charg\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:29

S45	8504	S44 and ("709"/\$3 or "705"/\$6 or "725"/\$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:30
S46	270	S45 and (terminal or client or user or customer or subscriber or distributor or retailer or retailer) adj10 (replicat\$3 or duplicat\$3 or reproduc\$3 or copy or deliver\$3 or distribut\$3 or redistribut\$3 or transfer\$4) adj10 (other or another or different or second or plurality) adj3 (terminal or client or user or customer or subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:31
S47	19	S46 and server near10 (stor\$3 or memory or maintain\$3) near15 (accounting or billing or payment or charg\$3) near10 (balance or information or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/16 17:40
S48	12	("20010016836" "20010027520" "20010051925" "20020069362" "20020133412" "20030105720" "5964830" "6061795" "6557054" "6618806" "6711610" "6769009").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/16 19:18
S49	15	(@AD< "20031217" or @RLAD< "20031217") and (content) adj (provider or server) same (re-distribut\$3 or redistribut\$3).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 10:08
S50	32	(@AD< "20031217" or @RLAD< "20031217") and (content) adj (provider or server) same (reproduc\$3 near10 (client or terminal or retail\$2)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 11:07
S51	58	(@AD< "20031217" or @RLAD< "20031217") and (content) adj (provider or server) same ((copy\$3 or reproduc\$3) near10 (client or terminal or retail\$2)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 11:08

S52	7	{@AD<"20031217" or @RLAD<"20031217") and (content) adj (provider or server) same ((replicat\$3 or duplicat\$3 or copy\$3 or reproduc\$3) near10 (client or terminal or retail\$2) with (distribut\$3 or redistribut\$3)).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 11:09
S53	7	S52 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/19 11:10
S54	0	{@AD<"20031217" or @RLAD<"20031217") and (content) adj (provider or server).ti,ab. and storage adj (media or medium) with ("read-only" or ROM) with rewritable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 10:00
S55	2	{@AD<"20031217" or @RLAD<"20031217") and (content) adj (provider or server).ti,ab. and storage with ("read-only" or ROM) with rewritable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 10:00
S56	0	{@AD<"20031217" or @RLAD<"20031217") and (content) adj (provider or server) with (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only") adj2 (area or section or segment) with rewritable adj2 (area or section or segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:34
S57	0	{@AD<"20031217" or @RLAD<"20031217") and (content) adj (provider or server) and (storage or media or medium) adj5 (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only") adj2 (area or section or segment) with rewritable adj2 (area or section or segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:36

S58	0	{@AD<"20031217" or @RLAD<"20031217" and (storage or media or medium) adj5 (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only") adj2 (area or section or segment) with rewritable adj2 (area or section or segment)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:38
S59	66	{@AD<"20031217" or @RLAD<"20031217" and (memory or optical or CD or DVD or storage or media or medium) adj5 (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only" or ROM) adj2 (area or section or segment) with (RAM or rewritable) adj2 (area or section or segment)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:46
S60	44	{@AD<"20031217" or @RLAD<"20031217" and (optical or CD or DVD or storage or media or medium) adj5 (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only" or ROM) adj2 (area or section or segment) with (RAM or rewritable) adj2 (area or section or segment)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:48
S61	0	{@AD<"20031217" or @RLAD<"20031217" and (content) adj (provider or server) with (memory or optical or CD or DVD or storage or media or medium) adj5 (contain\$3 or includ\$3 or hav\$3 or has or us\$3 or compris\$3) near10 ("read-only" or ROM) adj2 (area or section or segment) with (RAM or rewritable) adj2 (area or section or segment)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:49
S62	4	{@AD<"20031217" or @RLAD<"20031217" and (content) adj (provider or server) and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 16:49

3/ 21/ 08 4:28:42 PM

C:\Documents and Settings\WLin\My Documents\EAST\Workspaces\10_736905.wsp